


CF 3000 AM 0,75 - Spare knife

1205590

<https://www.phoenixcontact.com/us/products/1205590>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Replacement blade, for CF 3000-2,5 automatic stripping and crimping device



Commercial data

Item number	1205590
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH32
Product key	BH323Y
Catalog page	Page 514 (C-3-2019)
GTIN	4017918153274
Weight per piece (including packing)	18.5 g
Weight per piece (excluding packing)	18.4 g
Customs tariff number	84799070
Country of origin	DE

CF 3000 AM 0,75 - Spare knife

1205590

<https://www.phoenixcontact.com/us/products/1205590>



Technical data

Product properties

Product type	Knife
--------------	-------

Connection data

Conductor connection

Cross section range, metric	0.75 mm ² ... 0.75 mm ²
-----------------------------	---

CF 3000 AM 0,75 - Spare knife

1205590

<https://www.phoenixcontact.com/us/products/1205590>



Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1205590>



EAC

Approval ID: RU C-DE.AI30.B.01549

CF 3000 AM 0,75 - Spare knife



1205590

<https://www.phoenixcontact.com/us/products/1205590>

Classifications

ECLASS

ECLASS-11.0	17130192
ECLASS-12.0	17130192
ECLASS-13.0	17130191

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

CF 3000 AM 0,75 - Spare knife



1205590

<https://www.phoenixcontact.com/us/products/1205590>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com