# SZS 0,6X3,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1212602



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, slot-headed, VDE insulated, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

## Your advantages

- For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC
- · The tools feature ergonomic two-component safety handles
- · Large contact surface of blades inside screw head
- · VDE-tested, for maximum safety
- Individually tested safety screwdrivers according to DIN EN 60900 (VDE 0682-201)

#### Commercial data

Item number	1212602
Packing unit	10 pc
Sales key	BH31
Product key	BH3144
Catalog page	Page 442 (C-3-2019)
GTIN	4046356590761
Weight per piece (including packing)	35.24 g
Weight per piece (excluding packing)	33.7 g
Customs tariff number	82054000
Country of origin	CZ

# SZS 0,6X3,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1212602



## Technical data

#### Notes

Environmental Pro	duct Compliance	•
-------------------	-----------------	---

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

#### Product properties

Туре	Bladed
Product type	Screwdriver tools
Туре	straight

#### Connection data

Output	Bladed

#### **Dimensions**

Dimensional drawing	9.5
Width	26 mm
Blade width	3.5 mm
Blade height	100 mm
Length	181 mm
Wrench size for mounting	0 mm
Blade thickness	0.6 mm

## Material specifications

Material	alloyed tool steel

## Standards and regulations

Tests	DIN/ISO 2380-1 IEC 60900:2004

#### Mounting

Wrench size 0 mm	
------------------	--

# SZS 0,6X3,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1212602



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com