

EMD-SL-PS- 24AC - Power module



2866103

<https://www.phoenixcontact.com/in/products/2866103>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Power modules, pluggable, for EMD-SL-..., supply voltage: 20.2...26.4 V AC



Your advantages

- Separately adjustable startup and response delays
- Variable supply voltage range
- Adjustable via potentiometer on the front

Commercial data

Item number	2866103
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CK4
Product key	CK41Z1
Catalog page	Page 250 (C-5-2019)
GTIN	4017918952709
Weight per piece (including packing)	47 g
Weight per piece (excluding packing)	46.4 g
Customs tariff number	85043180
Country of origin	DE

EMD-SL-PS- 24AC - Power module



2866103

<https://www.phoenixcontact.com/in/products/2866103>

Technical data

Product properties

Product type	Power module
--------------	--------------

Input data

Input voltage	24 V AC (50/60 Hz)
Input voltage range AC	20.2 V AC ... 26.4 V AC

Dimensions

Width	32 mm
Height	35 mm
Depth	16 mm
Horizontal pitch	1.8 Div.

Material specifications

Housing material	Plastic
------------------	---------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-25 °C ... 55 °C
Ambient temperature (storage/transport)	-25 °C ... 70 °C

EMD-SL-PS- 24AC - Power module



2866103

<https://www.phoenixcontact.com/in/products/2866103>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/in/products/2866103>



EAC

Approval ID: RU *-DE.**08.B-02133

EMD-SL-PS- 24AC - Power module



2866103

<https://www.phoenixcontact.com/in/products/2866103>

Classifications

ECLASS

ECLASS-11.0	27040701
ECLASS-12.0	27040701
ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121000
-------------	----------

EMD-SL-PS- 24AC - Power module



2866103

<https://www.phoenixcontact.com/in/products/2866103>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in