

RIF-LDP-48-60 DC - Plug-in module



2900940

<https://www.phoenixcontact.com/pc/products/2900940>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with freewheeling diode and yellow LED, polarity: A1+, A2-, input voltage: 48 V DC ... 60 V DC $\pm 20\%$

Commercial data

Item number	2900940
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	CK6536
Catalog page	Page 316 (C-5-2019)
GTIN	4046356733205
Weight per piece (including packing)	3.04 g
Weight per piece (excluding packing)	2.94 g
Customs tariff number	85363010
Country of origin	CN

RIF-LDP-48-60 DC - Plug-in module



2900940

<https://www.phoenixcontact.com/pc/products/2900940>

Technical data

Product properties

Product type	Plug-in module
Product family	RIFLINE complete

Electrical properties

Nominal voltage U_N	48 V DC ... 60 V DC
-----------------------	---------------------

Input data

Input voltage range	48 V DC ... 60 V DC $\pm 20\%$
Status display	Yellow LED
Protective circuit	Freewheeling diode

Approvals

Corrosive gas test

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60

RIF-LDP-48-60 DC - Plug-in module



2900940

<https://www.phoenixcontact.com/pc/products/2900940>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/2900940>



CSA

Approval ID: 76787



UL Recognized

Approval ID: FILE E 113228



DNV GL

Approval ID: TAA000018V



DNV GL

Approval ID: TAA000018V

RIF-LDP-48-60 DC - Plug-in module



2900940

<https://www.phoenixcontact.com/pc/products/2900940>

Classifications

ECLASS

ECLASS-11.0	27371692
ECLASS-12.0	27371692
ECLASS-13.0	27371692

ETIM

ETIM 9.0	EC002586
----------	----------

UNSPSC

UNSPSC 21.0	39122300
-------------	----------

RIF-LDP-48-60 DC - Plug-in module



2900940

<https://www.phoenixcontact.com/pc/products/2900940>

Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com