Tina 4A 1/4



PRODUCT-DETAILS

Tina 4A Tina 4A DYNlink connection accessory



360

General Information	
Extended Product Type	Tina 4A
Product ID	2TLA020054R0300
EAN	7350024451856
Catalog Description	Tina 4A DYNlink connection accessory
Long Description	Tina 4A is a connection block for series connection of up to four DYNlink devices. Four M12-5 female connectors for the sensors are available on the device. The information signal of each device can be wired separately. The cable used for the connection to the Tina 4A should have a diameter 7 - 12 mm. Unused M12-connectors on Tina 4A must be equipped with Tina 1A blind plugs.
	The Tina devices adapt the DYNlink safety circuit in Vital, Pluto and B&R X20 to safety components with mechanical contacts, such as E-stops, switches and light beams/curtains with dual outputs.
	Tina is available in several versions depending on the type of safety component that is connected to the Vital, Pluto or B&R X20 circuit.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85369095
Product Main Type	Tina

Tina 4A 2/4

Product Name	DYNlink connection acc	
Status Indicator		<u>No</u>
Popular Downloads		
Data Sheet, Technical nformation	2TLC01000	1C0202
Data Sheet, Technical Information (Part 2)	2TLC01008	1D0201
Instructions and Manuals	2TLC172128	3M0201
CAD Dimensional Drawing	2CDC001079	9B0201
Dimensions		
Product Net Depth / Length		50 mm
Product Net Height		45 mm
Product Net Width		119 mm
Product Net Weight	0	.095 kg
Technical		
Color		Black
Rated Control Supply Voltage (U _s)	2	4 V DC
Rated Operational Voltage		24 V DC
Suitable For	Pluto	AS-i v2
		A20 v2 B20 v2
		uto B22
		42 AS-i
		B46 v2 uto D20
		uto D20
	Pluto D45 (Har	
		luto O2 S20 v2
		S46 v2
		Vital 1
Supply Voltage		<u>&R X20</u> !4 V DC
Supply voltage	2	<u>4 V DC</u>
Carrier and a state		
Environmental Ambient Air Temperature	Operation -10 .	55 °C
Degree of Protection	Operation - 10.	<u>33 C</u> IP67
Material		Plastic
Material Compliance		
Conflict Minerals Reporting Template (CMRT)	9AKK10846	7A5658
REACH Declaration	2CMT2022-	006480
RoHS Information	2CMT2022-	006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 2	2, 2019
Toxic Substances Control Act - TSCA	2CMT2023-	006522
WEEE B2C / B2B	Business To B	
WEEE Category	5. Small Equipment (No External Dimension More Than	
© 2024 ABB. All rights reserved.	2024/11/28 Subject to	change w

Tina 4A 3/4

CQC Certificate	No declaration needed
CSA Certificate	2TLC172045D0201
Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC010057D0201
Declaration of Conformity - UKCA	2TLC010197D0201
TÜV Certificate	2TLC010207D0201

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	100 mm
Package Level 1 Depth / Length	170 mm
Package Level 1 Height	0.035 m
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	7350024451856

Classifications	
eClass	V11.0 : 27060313
ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O device for bus system
ETIM 9	EC003558 - Passive sensor-actuator interface (without cable)
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
UNSPSC	39122221
Object Classification Code	T
E-Number (Finland)	2307383
E-Number (Sweden)	3861357

Categories

 $Low\ Voltage\ Products\ \to\ Control\ Products\ \to\ Safety\ Products\ \to\ Programmable\ Safety\ Controllers$ $Low\ Voltage\ Products\ \to\ Control\ Products\ \to\ Safety\ Products\ \to\ Safety\ Adapter\ Units$

Tina 4A 4/4

