



SENTRON, cylindrical fuse holder, 22x58 mm, 1P+N, In: 100 A, Un AC: 690 V, LED signal detector

Model	
product brand name	SENTRON
product designation	Cylindrical fuse holder
design of the product	LED signal detector
General technical data	
number of poles	2
design of pole	1P+N
size of fuse link	22 x 58 mm
Supply voltage	
operating voltage	690 V
• at AC rated value	
protection class IP	IP20
Current	
operational current at AC rated value	100 A
Mechanical Design	
height	117 mm
width	72 mm
depth	70 mm
net weight	360 g
Certificates	
reference code according to IEC 81346-2	F

General Product Approval	Declaration of Conformity	other
--------------------------	---------------------------	-------

[Confirmation](#)



[Miscellaneous](#)

### Further information

#### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7252>



#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7252>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7252](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7252)

#### CAX-Online-Generator



3NW7251, 3NW7252

