

22MM PLASTIC ROUND COMPLETE UNIT
 COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM
 LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW
 BACKING PLATE SPRING-LOADED TERMINAL,
 1NO+1NC WITH HOLDER RED INSCRIPTION: NOT-HALT

Actuator:

Design of the operating mechanism	mushromm pushbutton
--	---------------------

Front ring:

Product component / front ring	No
Color / of the front ring	black

Enclosure:

Shape / of the housing front	round
material / of the housing	plastic

General technical details:

Number of control points	1
Type of voltage • of the operating voltage	AC/DC
Operating voltage / rated value • minimum • maximum	V 5 V 400
Design of the electrical connection	spring-loaded terminals
Number of switching positions	2
Product extension / optional / fluorescent materials	No
Resistance against shock • for devices without incandescent lamp / according to IEC 60068-2-27	<= 50g
Resistance against vibration / according to IEC 60068-2-6	20 ... 200 Hz: 5g
Operating cycles / maximum	1/h 1,000
Mechanical operating cycles as operating time / typical	300,000
Item designation • according to DIN EN 61346-2 • according to DIN 40719 extendable after IEC 204-2 / according to IEC 750	S S

Auxiliary circuit:

Number of NC contacts / for auxiliary contacts		1
Number of NO contacts / for auxiliary contacts		1
Number of change-over switches / for auxiliary contacts		0

Installation/mounting/dimensions:

Type of mounting		front mounting
Shape / of the installation hole		round
Installation width	mm	40.5
Mounting diameter	mm	22
Mounting height	mm	49
Tightening torque / of the screws in the bracket / maximum	N-m	1

Ambient conditions:

Ambient temperature		
• during operating	°C	-25 ... +70
• during storage	°C	-40 ... +80
Protection class IP		IP66

Certificates/approvals:

General Product Approval



CQC



CSA

[ROSTEST](#)



UL

Test Certificates

[Manufacturer](#)

Shipping Approval



ABS



BUREAU
VERITAS



DNV



LRS



PRS



RINA

other

[Manufacturer](#)



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)


<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator

<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/3SB3201-1HA20-0CC0/all>



last change:

Oct 31, 2011