

22MM PLASTIC ROUND COMPLETE UNIT  
 COMBINATION: EMERGEN.-STOP MUSHR.PUSHB. 40MM  
 LATCH.W. ROT.-TO-UNLATCH MECH. WITH YELLOW  
 BACKING PLATE SPRING-LOADED TERMINAL,  
 1NC WITH HOLDER RED INSCRIPTION: NOT-AUS

**Actuator:**

<b>Design of the operating mechanism</b>	mushromm pushbutton
------------------------------------------	---------------------

**Front ring:**

<b>Product component / front ring</b>	No
<b>Color / of the front ring</b>	black

**Enclosure:**

<b>Shape / of the housing front</b>	round
<b>material / of the housing</b>	plastic

**General technical details:**

<b>Number of control points</b>	1
<b>Type of voltage</b> • of the operating voltage	AC/DC
<b>Operating voltage / rated value</b> • minimum • maximum	V 5 V 400
<b>Design of the electrical connection</b>	screw-type terminals
<b>Number of switching positions</b>	2
<b>Product extension / optional / fluorescent materials</b>	No
<b>Resistance against shock</b> • for devices without incandescent lamp / according to IEC 60068-2-27	<= 50g
<b>Resistance against vibration / according to IEC 60068-2-6</b>	20 ... 200 Hz: 5g
<b>Operating cycles / maximum</b>	1/h 1,000
<b>Mechanical operating cycles as operating time / typical</b>	300,000
<b>Item designation</b> • according to DIN EN 61346-2 • according to DIN 40719 extendable after IEC 204-2 / according to IEC 750	S S

### Auxiliary circuit:

Number of NC contacts / for auxiliary contacts		1
Number of NO contacts / for auxiliary contacts		0
Number of change-over switches / for auxiliary contacts		0

### Installation/mounting/dimensions:

Type of mounting		front mounting
Shape / of the installation hole		round
Installation width	mm	40.5
Mounting diameter	mm	22
Mounting height	mm	49
Tightening torque / of the screws in the bracket / maximum	N-m	1

### Ambient conditions:

Ambient temperature		
• during operating	°C	-25 ... 70
• during storage	°C	-40 ... 80
Protection class IP		IP66

### Certificates/approvals:

#### General Product Approval



[ROSTEST](#)



#### Test Certificates

[Manufacturer](#)

#### Shipping Approval



#### other

[Manufacturer](#)



### Further information:

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

#### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/3SB3203-1HA20-0AC0/all>

last change:

Oct 31, 2011