Product data sheet



22MM PLASTIC ROUND COMPLETE UNIT COMBINATION: INDICATOR LIGHT WITH CONCENTRIC RINGS NON-ILLUMINATED WITH LAMP HOLDER BA 9S WITHOUT LAMP SPRING-LOADED TERMINAL WITH HOLDER RED

Actuator:			
Design of the operating mechanism		indicator light	
Front ring:			
Product component / front ring		No	
Color / of the front ring		black	
Enclosure:			
Shape / of the housing front		round	
material / of the housing		plastic	
General technical details:			
Number of control points		0	
Type of voltage			
Type of voltage • of the operating voltage		AC/DC	
		AC/DC	
of the operating voltage	V	AC/DC 5	
of the operating voltage Operating voltage / rated value	V V		
of the operating voltage Operating voltage / rated value minimum		5	
of the operating voltage Operating voltage / rated value minimum maximum		5 400	

Product extension / optional / fluorescent materials		Yes		
Resistance against shock				
 for devices with incandescent lamp / according to IEC 60068-2- 27 		<= 30g		
 for devices without incandescent lamp / according to IEC 60068- 2-27 		<= 50g		
Resistance against vibration / according to IEC 60068-2-6		20 200 Hz: 5g		
Operating cycles / maximum	1/h	1,000		
Item designation				
according to DIN EN 61346-2		P		
 according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		Н		
Auxiliary circuit:				
Number of NC contacts / for auxiliary contacts		0		
Number of NO contacts / for auxiliary contacts		0		
Number of change-over switches / for auxiliary contacts		0		
Installation/mounting/dimensions:				
Execution of the mounting	_	BA 9s, without lamp		
Type of mounting		front mounting		
Shape / of the installation hole		round		
Installation width	mm	28		
Mounting diameter	mm	22		
Mounting height	mm	11		
Tightening torque / of the screws in the bracket / maximum	N⋅m	1		
Ambient conditions:				
Ambient temperature				
during operating	°C	-25 60		
during storage	°C	-40 80		
Protection class IP		IP66		
Certificates/approvals:				

General Product Approval



CQC



ROSTEST



Manufacturer

Test Certificates

Shipping Approval













other

Manufacturer

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

CAx-Online-Generator

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3SB3204-6BA20-0CC0/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SB3204-6BA20-0CC0

last change: Oct 31, 2011