Product data sheet

Specification





plug-in solid state relay- 12.5 mm - input - 110..130 V AC 60HZ

ABS7EA3F5

Main

Range of product	Advantys Telefast ABE7	
Product or component type	Plug-in solid state relay	
Relay type	Input relay	
minimum ordered quantity	Set of 4	

Complementary

Response time	<= 20 ms from state 0 to 1 <= 20 ms from state 1 to 0	
Width pitch dimension	0.5 in (12 mm)	
Product compatibility	ABE7P16F310 ABE7P16F310E ABE7P16F312	
Discrete input voltage	115127 V AC 50/60 Hz	
Discrete output voltage	524 V DC	
Width	0.5 in (12.5 mm)	
Net weight	0.031 lb(US) (0.014 kg)	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.551 in (1.400 cm)	
Package 1 Width	1.260 in (3.200 cm)	
Package 1 Length	1.772 in (4.500 cm)	
Package 1 Weight	0.388 oz (11.000 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	4	
Package 2 Height	1.969 in (5.000 cm)	
Package 2 Width	2.008 in (5.100 cm)	
Package 2 Length	2.559 in (6.500 cm)	
Package 2 Weight	1.869 oz (53.000 g)	
Unit Type of Package 3	S02	
Number of Units in Package 3	of Units in Package 3 128	
Package 3 Height	5.906 in (15.000 cm)	

Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	4.497 lb(US) (2.040 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

	Mercury Free	
⊘	Rohs Exemption Information	Yes
	Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Product data sheet

ABS7EA3F5

Connections and Schema

Internal Wiring Diagram

