



Metallic mounting plate for PLA enclosure H1500xW1000mm

NSYPMM1510

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 325.12 USD

Main

Range	Thalassa	
Accessory / separate part categor	Mounting accessory	
Product or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure nominal dimensions	-	
Mounting Location	Step slide Back inserts	
Mounting plate description	Plain	
Range compatibility	Thalassa Thalassa PLA	
Device composition	1 mounting plate	
Material	galvanised steel	

Complementary

Fixing mode	By screws M8 - on back inserts	
Permanent permissible load	330.7 lb(US) (150 kg)	
Height	Nominal: 59.06 in (1500 mm) Real: 54.7 in (1390 mm)	
Width	Nominal: 39.4 in (1000 mm) Real: 34.4 in (875 mm)	
Depth	Real : 4.9 in (125 mm)	
Thickness	kness 0.10 in (2.5 mm)	

Ordering and shipping details

Category	US10ES180036	
Discount Schedule	0ES1	
GTIN	3606480193934	
Returnability	No	
Country of origin	FS	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.394 in (1.000 cm)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	34.449 in (87.500 cm)	
Package 1 Length	54.134 in (137.500 cm)	
Package 1 Weight	50.444 lb(US) (22.881 kg)	
Unit Type of Package 2	P2M	
Number of Units in Package 2	20	
Package 2 Height	35.433 in (90.000 cm)	
Package 2 Width	78.740 in (200.000 cm)	
Package 2 Length	47.244 in (120.000 cm)	
Package 2 Weight	1041.950 lb(US) (472.620 kg)	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations