



 PRODUCT-DETAILS

OS63GDSL30MNS

OS63GDSL30MNS SWITCH FUSE



General Information

Extended Product Type	OS63GDSL30MNS
Product ID	1SCA124541R1001
EAN	6417019549514
Catalog Description	OS63GDSL30MNS SWITCH FUSE
Long Description	Switch fuse, side operated, 3-pole, 2pcs of OA1G10 auxiliary contacts factory mounted on top of mechanism

ABB EcoSolutions

ABB Site Meeting Group Waste To Landfill Target	UL 2799 Zero Waste To Landfill Validation available
End Of Life Disassembling Instructions	1SCC311048M0201
Environmental Product Declaration - EPD	1SCC311195D0201

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	1SCC011025D0201

Popular Downloads

Data Sheet, Technical Information	1SCC311013C0201
Instructions and Manuals	No Instructions and Manuals needed
Environmental Product Declaration - EPD	1SCC311195D0201

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)

Dimensions

Product Net Width	192 mm
Product Net Height	146 mm
Product Net Depth / Length	137 mm
Product Net Weight	1.18 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	146 mm
Package Level 1 Depth / Length	192 mm
Package Level 1 Height	137 mm
Package Level 1 Gross Weight	1.3 kg
Package Level 1 EAN	6417019549514

Technical

Connecting Capacity	Stranded 2.5 ... 25 mm ² Flexible 2.5 ... 25 mm ²
Fuse Size	NH000
Fuse System	DIN
Mounting Type	Base mounting
Number of Poles	3P
Operating Mode	Side Operated

Power Loss	at Rated Operating Conditions per Pole 4 W
Rated Operational Voltage	Main Circuit 690 V AC
Standards	IEC 60947-3
Terminal Type	Screw Terminals
Tightening Torque	3 N·m 4 N·m

Technical UL/CSA

Tightening Torque	3 N·m 4 N·m
-------------------	----------------

Certificates and Declarations

A2L Certificate – IEC	1SCC311208D0201
ATEX Certificate	No certification needed
Declaration of Conformity - CE	1SCC311136D2703
DNV GL Certificate	1SCC311125D0203
UL Certificate	No certification needed

Classifications

ETIM 8	EC001040 - Fuse switch disconnecter
ETIM 9	EC001040 - Fuse switch disconnecter
UNSPSC	39122233
IDEA Granular Category Code (IGCC)	5291 >> Fuse switch disconnecter
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switches → Switch Fuses
 Low Voltage Products and Systems → Low Voltage Systems → IEC - Low Voltage Motor Control Centers → MNS 3.0 - MCC
 Low Voltage Products and Systems → Service → Spares and Consumables → Parts

