



---

**PRODUCT-DETAILS**

# PB124E

## BASE,PANEL,DL,B24



---

**General Information**

Extended Product Type	PB124E
Product ID	7TAA080300R0007
EAN	5415022252187
Catalog Description	BASE,PANEL,DL,B24
Long Description	Double lever locking panel base for use with B24, K24, D64 and DD108 series.

---

**Ordering**

EAN	5415022252187
UPC	786210799971
Country of Origin	Germany (DE)
Selling Unit of Measure	each

---

**Container Information**

Package Level 1 Units	10 EA
Package Level 1 Width	147.32 mm

Package Level 1 Height	5.8 in 106.68 mm
Package Level 1 Depth / Length	4.2 in 320.04 mm 12.6 in

### Additional Information

Application	for use with B24, K24, D64 and DD108 series
Brand / Label	Pos-E-Kon
Effective Date	20020103
Material	Die-Cast Aluminum Alloy
Product Name	HTS expired or not a valid HTS Number for Canada
Special Functions	IP65 locked positions per DIN VDE 0470, IEC 529
Surface Finishing	Epoxy Powder Coated
Temperature Range	-40 to +257 °F
Voltage Rating	600 VA °C

### Certificates and Declarations

Data Sheet, Technical Information	PB124E
-----------------------------------	--------

### External Classifications and Standards

ETIM 7	EC000437 - Housing for rectangular connectors
ETIM 8	EC000437 - Housing for rectangular connectors
UNSPSC	39121424
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4594 >> Terminal block covers

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

