Specifications



standard cable, Twido, CANopen, IP20, IEC 60332-1, 100m

TSXCANCA100

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

_

Complementary

marking	CE
Net Weight	19.4 lb(US) (8.8 kg)

Environment

IP Degree of Protection	IP20

Ordering and shipping details

Category	US1PC1222531
Discount Schedule	PC12
GTIN	3595862011907
Returnability	No
Country of origin	П

Packing Units

V	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.661 in (22.000 cm)
Package 1 Width	13.780 in (35.000 cm)
Package 1 Length	13.780 in (35.000 cm)
Package 1 Weight	20.305 lb(US) (9.210 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	24
Package 2 Height	39.370 in (100.000 cm)
Package 2 Width	31.496 in (80.000 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 2 Length

47.244 in (120.000 cm)

Package 2 Weight

518.087 lb(US) (235.000 kg)

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
China Rohs Regulation	China RoHS declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Reach Regulation	REACh Declaration
Rohs Exemption Information	Yes
Mercury Free	
Reach Free Of Svhc	